VOLUME XVI, PART I.

SUBJECT INDEX.

A

Address.
Annual — by the President, Mansfield Merriman, 34.
Aggregates.
Concrete and Concrete —. Report of Committee C-9, 264.
Tentative Test for Determination of Apparent Specific Gravity of Homogeneous Coarse —, 529.
Alloys.
Non-Ferrous Metals and —. Report of Committee B-2, 180. Discussion, 193.
Tentative Specifications for the Alloy: Copper, 88 per cent; Tin, 10 per cent; Zinc, 2 per cent, 434.
The Difficulty of Issuing Figures on Sand-Cast —. Appendix III, Report of Committee B-2, 191.
American Society for Testing Materials.
Officers and Members of the Executive Committee of —, 596.
Analysis.
Methods of Laboratory Sampling and — of Coal. Report of Committee D-3, 299.
Proposed Revisions in Tentative Methods for Sampling and — of Creosote Oil. Appendix II, Report of Committee D-7, 344.
Report on Cooperative — of a Low-Sulfur Tool Steel. Appendix II, Report of Committee A-1, 123.
Tentative Methods for Laboratory Sampling and — of Coke, 551.
Tentative Methods for Routine — of White Pigments, 536.
Tentative Methods for Sampling and — of Creosote Oil, 564.
Annual Meeting.
Summary of the Proceedings of the Nineteenth —, 7.
Arsenite Solutions.
Report on Procedure for Standardizing — for Manganese Determinations by the A.S.T.M. Standard Method. Appendix III, Report of Committee A-1, 126.
Automobiles.
Tentative Specifications for Elliptical Springs for —, 421.
Tentative Tests for Automobile Tire Fabrics, 531.

B

Bags.
Tentative Tests for Cotton Fabrics for Use in — and Bagging Material, 534.

Bars.
Tentative Specifications for Carbon-Steel — for Railway Springs with Special Silicon Requirements, 418.
Tentative Specifications for Copper — for Locomotive Staybolts, 441.
Belting.
Tentative Tests for Cotton Fabrics for Use in Hose, — and Similar Articles, 533.
Bituminous Materials.
Penetration of —. Appendix, Report of Committee D-4, 306.
Tentative Method for Determination of Softening Point of — Other than Tar Products, 549.
Boiler Steel.
Tentative Specifications for Boiler and Firebox Steel for Stationary Service, 429.
Boiler Tubes.
Tentative Specifications for Seamless Brass —, 448.
Tentative Specifications for Seamless Copper —, 444.
Brass.
Tentative Specifications for Seamless — Boiler Tubes, 448.
Bridge Timbers.
Tentative Specifications for Selected Structural Douglas Fir Bridge and Trestle Timbers, 479.
Broken Stone.
Tentative Form of Specifications for Certain Commercial Grades of —, 548.
Bronze.
Tentative Specifications for the Alloy: Copper 88 per cent; Tin, 10 per cent; Zinc, 2 per cent, 434.

C

Cable.
Tentative Specifications for Insulated Wire and —: 30 per cent Hevea Rubber, 492.
Carbon Steel.
Tentative Specifications for — Bars for Railway Springs with Special Silicon Requirements, 418.
Cast Iron.
— and Finished Castings. Report of Committee A-3, 150.
Castings.
Cast Iron and Finished —. Report of Committee A-3, 150.
Cement.
—. Report of Committee C-1, 200. Discussion, 203.
Clay and — Sewer Pipe. Report of Committee C-4, 220.
Tentative Recommended Practice for Laying of Sewer Pipe, 472.
Tentative Revisions of Standard Specifications and Tests for Portland —, 590.

Clay Products.
Clay and Cement Sewer Pipe. Report of Committee C-4, 220.
Tentative Recommended Practice for Laying of Sewer Pipe, 472.
Coal.
Methods of Laboratory Sampling and Analysis of —. Report of Committee D-3, 299.
—. Report of Committee D-5, 319.
Coatings.
Preservative — for Structural Materials. Report of Committee D-1, 270.
Coke.
—. Report of Committee D-6, 325.
Tentative Method for Laboratory Sampling and Analysis of —, 551.
Concrete.
— and — Aggregates. Report of Committee C-9, 264.
Containers.
Shipping —. Report of Committee D-10, 349.
Copper.
Tentative Specifications for — Bars for Locomotive Staybolts, 441.
Tentative Specifications for — Plates for Locomotive Fireboxes, 437.
Tentative Specifications for Seamless — Boiler Tubes, 444.
Tentative Specifications for the Alloy: —, 88 per cent; Tin, 10 per cent; zinc, 2 per cent, 434.
Copper Wire.
—. Report of Committee B-1, 177.
Tentative Specifications for Insulated Wire and Cable: 30 per cent Hevea Rubber, 492.
Corrosion.
— of Iron and Steel. Report of Committee A-5, 153.
Cotton Fabrics.
Tentative General Methods for Testing —, 572.
Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton Rubber-Lined Fire Hose for Public Fire Department Use, 487.
Tentative Tests for Automobile Tire Fabrics, 531.
Tentative Tests for — for Use in Bags and Bagging Material, 534.
Tentative Tests for — for Use in Hose, Belting and Similar Articles, 533.
Creosote Oil.
Proposed Revisions in Tentative Methods for Sampling and Analysis of —. Appendix II, Report of Committee D-7, 344.
Tentative Methods for Sampling and Analysis of —, 564.
Creosoted Timber.
Tentative Specifications for Southern Yellow-Pine Timber to be Creosoted, 483.
Tentative Specifications for Southern Yellow-Pine Piles and Poles to be Creosoted, 485.

D

Definitions of Terms.
Tentative — Relating to the Gypsum Industry, 452.
Tentative Revisions of Standard — Relating to Materials for Roads and Pavements, 594.
Douglas Fir.
Tentative Specifications for Selected Structural — Bridge and Trestle Timbers, 479.
The Need of a Quality Classification for —. Appendix I, Report of Committee D-7, 340.
Drain Tile.
—. Report of Committee C-6, 259. Discussion, 262.
Duck.
Determination of Tensile Strength of — by the Strip Method. Appendix IV, Report of Committee D-13, 379.

E

Elliptical Springs.
See **Springs.**
Executive Committee.
Annual Report of the —, 45.
Officers and Members of the —, 596.

F

Fabrics (see also **Textile Fabric**).
Tentative Tests for Automobile Tire —, 531.
Tentative General Methods for Testing Cotton —, 572.
Tentative Tests for Cotton — for Use in Bags and Bagging Material, 534.
Tentative Tests for Cotton — for Use in Hose, Belting and Similar Articles, 533.
Ferrous Metals (see also **Iron, Steel**).
Tentative Standards for —. See Table of Contents, 5.
Finished Castings.
See **Castings.**
Fir.
Tentative Specifications for Selected Structural Douglas — Bridge and Trestle Timbers, 479.
The Need of a Quality Classification for Douglas —. Appendix I, Report of Committee D-7, 340.
Fireboxes.
Tentative Specifications for Boiler and Firebox Steel for Stationary Service, 429.
Tentative Specifications for Copper Plates for Locomotive —, 437.
Fire Hose.
Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton Rubber-Lined — for Public Fire Department Use, 487.

G

Government Bronze.
See **Bronze.**
Grab Method.
Comparison of Strip and Grab Methods of Testing Textile Fabric for Tensile Strength. Appendices II and III, Report of Committee D-13, 366, 370.
Gypsum.
— and — Products. Report of Committee C-11, 268.
Tentative Definitions of Terms Relating to the — Industry, 452.

H

Heat Treatment.
— of Iron and Steel. Report of Committee A-4, 152.
Hevea Rubber.
See **Rubber.**
Hose.
Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton Rubber-Lined Fire — for Public Fire Department Use, 487.
Tentative Tests for Cotton Fabrics for Use in —, Belting and Similar Articles, 533.

I

Ingots.
Report on Investigation of Ladle-Test Steel —. Appendix IV, Report of Committee A-1, 129.
Insulated Wire.
Tentative Specifications for — and Cable; 30 per cent Hevea Rubber, 492.
Iron.
Cast — and Finished Castings. Report of Committee A-3, 150.
Corrosion of — and Steel. Report of Committee A-5, 153
Heat Treatment of — and Steel. Report of Committee A-4, 152.
Magnetic Properties of — and Steel. Report of Committee A-6, 171.
Preparation of — and Steel Surfaces for Painting. Report of Sub-Committee XIV of Committee D-1, 293.
Tentative Revisions of Standard Tests for Magnetic Properties of — and Steel, 580.
Wrought —. Report of Committee A-2, 147.

L

Laboratory Sampling.
See **Sampling.**
Ladle-Test Steel Ingots.
Report on Investigation of —. Appendix IV, Report of Committee A-1, 129.

Linseed Oil.
—. Report of Sub-Committee V of Committee D-1, 283.
Locomotive.
Tentative Specifications for Copper Bars for — Staybolts, 441.
Tentative Specifications for Copper Plates for — Fireboxes, 437.

M

Magnetic Properties.
— of Iron and Steel. Report of Committee A-6, 171.
Tentative Revisions of Standard Tests for — of Iron and Steel, 580.
Materials.
Penetration of Bituminous —. Appendix, Report of Committee D-4, 306.
Preservative Coatings for Structural —. Report of Committee D-1, 270.
Road —. Report of Committee D-4, 300. Discussion, 316.
Tentative Revisions of Standard Definitions of Terms Relating to — for Roads and Pavements, 594.
Tentative Standards for Miscellaneous —. See Table of Contents, 5.
Textile —. Report of Committee D-13, 360. Discussion, 386.
Methods.
Comparison of Strip and Grab — of Testing Textile Fabric for Tensile Strength. Appendices II and III, Report of Committee D-13, 366, 370.
Determination of Tensile Strength of Duck by the Strip Method. Appendix IV, Report of Committee D-13, 379.
Method of Studying the Action of Specimens of Textile Fabric during Tests. Appendix I, Report of Committee D-13, 363.
— of Laboratory Sampling and Analysis of Coal. Report of Committee D-3, 299.
— of Testing. Report of Committee E-1, 390.
Proposed Revisions in Tentative — for Sampling and Analysis of Creosote Oil. Appendix II, Report of Committee D-7, 344.
Tentative —. See Table of Contents, 6.

N

Non-Ferrous Metals (see also **Brass, Copper, Spelter, Tin**).
— and Alloys. Report of Committee B-2, 180. Discussion, 193.
Tentative Standards for —. See Table of Contents, 5.

O

Officers.
— and Members of the Executive Committee, 596.
Oil.
Linseed —. Report of Sub-Committee V of Committee D-1, 283.
Proposed Revisions in Tentative Methods for Sampling and Analysis of Creosote —. Appendix II, Report of Committee D-7, 344.
Perilla —. Report of Sub-Committee III of Committee D-1, 273.
Tentative Methods for Sampling and Analysis of Creosote —, 564.
Tung —. Report of Sub-Committee III of Committee D-1, 273.

P

Papers.
— and Publications. Report of Committee E-6, 404.
Paint (see also **Pigments, Preservative Coatings**).
— Thinners Other than Turpentine. Report of Sub-Commitee XI of Committee D-1, 290.
Preparation of Iron and Steel Surfaces for Painting. Report of Sub-Committee XIV of Committee D-1, 293.
Tentative Tests for — Thinners Other than Turpentine, 518.
Testing of — Vehicles. Report of Sub-Committee III of Committee D-1, 273.
Pavements.
Tentative Revisions of Standard Definitions of Terms Relating to Materials for Roads and —, 594.
Perilla Oil.
Report of Sub-Committee III of Committee D-1, 273.
Preservative Coatings.
— for Structural Materials. Report of Committee D-1, 270.
President's Address.
See **Address.**
Pigments.
Tentative Methods for Routine Analysis of White —, 536.
Piles.
Tentative Specifications for Southern Yellow-Pine — and Poles to be Creosoted, 485.
Pine.
Tentative Specifications for Southern Yellow- — Piles and Poles to be Creosoted, 485.
Tentative Specifications for Southern Yellow- — Timber to be Creosoted, 483.
Pipe.
Clay and Cement Sewer —. Report of Committee C-4, 220.
Tentative Recommended Practice for Laying of Sewer —, 472.
Plates.
Tentative Specifications for Steel Tie —, 414.
Tentative Specifications for Copper — for Locomotive Fireboxes, 437.
Poles.
Tentative Specifications for Southern Yellow-Pine Piles and — to be Creosoted, 485.
Portland Cement.
See **Cement.**
Proceedings.
Summary of the — of the Nineteenth Annual Meeting, 7.
Publications.
Papers and —. Report of Committee E-6, 404.

R

Railway Springs.
Tentative Specifications for Carbon-Steel Bars for — with Special Silicon Requirements, 418.
Recommended Practice.
Tentative — for Laying of Sewer Pipe, 472.
Regulations.
— Governing Standing Committees. Appendix, Report of Committee E-5, 395.
Revisions.
Tentative — of Standards. See Table of Contents, 6.
Road Materials.
—. Report of Committee D-4, 300. Discussion, 316.
Tentative Revisions of Standard Definitions of Terms Relating to Materials for Roads and Pavements, 594.
Rubber.
— Products. Report of Committee D-11, 357.
Tentative Specifications for Insulated Wire and Cable: 30 per cent Hevea —, 492.
Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton —-Lined Fire Hose for Public Fire Department Use, 487.

S

Sampling.
Methods of Laboratory — and Analysis of Coal. Report of Committee D-3, 299.
Proposed Revisions in Tentative Methods for — and Analysis of Creosote Oil. Appendix II, Report of Committee D-7, 344.
Tentative Methods for — and Analysis of Creosote Oil, 564.
Tentative Methods for Laboratory — and Analysis of Coke, 551.
Sand-Cast Alloys.
The Difficulty of Issuing Figures on —. Appendix III, Report of Committee B-2, 191.
Screw Spikes.
Tentative Specifications for Steel —, 412.
Seamless Tubes.
See **Tubes.**
Sewer Pipe.
Analytical Data for —. Appendix, Report of Committee C-4, 223.
Clay and Cement —. Report of Committee C-4, 220.
Tentative Recommended Practice for Laying of —, 472.
Shellac.
—. Report of Sub-Committee XIII of Committee D-1, 292.
Tentative Tests for —, 522.
Shipping Containers.
—. Report of Committee D-10, 349.

Softening Point.
Tentative Method for Determination of — of Bituminous Materials Other than Tar Products, 549.
Southern Yellow Pine.
See **Pine.**
Specific Gravity.
Tentative Test for Determination of Apparent — of Homogeneous Coarse Aggregates, 529.
Specifications.
See **Table of Contents, 5, 6.**
Spelter (see also **Zinc**).
—: Its Grades and Uses. Appendix I, Report of Committee B-2, 183.
Tentative Revisions of Standard Specifications for —, 583.
Spikes.
Tentative Specifications for Steel Track —, 410.
Tentative Specifications for Steel Screw —, 412.
Springs.
Tentative Specifications for Carbon-Steel Bars for Railway — with Special Silicon Requirements, 418.
Tentative Specifications for Elliptical — for Automobiles, 421.
Standards.
See **Table of Contents, 5, 6.**
Standing Committees.
Regulations Governing —. Appendix, Report of Committee E-5, 395.
—. Report of Committee E-5, 393.
Staybolts.
Tentative Specifications for Copper Bars for Locomotive —, 441.
Steel.
Corrosion of Iron and —. Report of Committee A-5, 153.
Heat Treatment of Iron and —. Report of Committee A-4, 152.
Magnetic Properties of Iron and —. Report of Committee A-6, 171.
Preparation of Iron and — Surfaces for Painting. Report of Sub-Committee XIV of Committee D-1, 293.
—. Report of Committee A-1, 86.
Report on Investigation of Ladle-Test — Ingots. Appendix IV, Report of Committee A-1, 129.
Tentative Revisions of Standard Tests for Magnetic Properties of Iron and —, 580.
Tentative Specifications for Boiler and Firebox — for Stationary Service, 429.
Tentative Specifications for Carbon- — Bars for Railway Springs with Special Silicon Requirements, 418.
Tentative Specifications for — Screw Spikes, 412.
Tentative Specifications for —Tie Plates, 414.
Tentative Specifications for — Track Spikes, 410.
Stone.
Tentative Form of Specifications for Certain Commercial Grades of Broken —, 548.

Strip Method.
Comparison of Strip and Grab Methods of Testing Textile Fabric for Tensile Strength. Appendices II and III, Report of Committee D-13, 366, 370.
Determination of Tensile Strength of Duck by the —. Appendix IV, Report of Committee D-13, 379.
Structural Materials.
Preservative Coatings for —. Report of Committee D-1, 270.
Summary of the Proceedings.
— of the Nineteenth Annual Meeting, 7.

T

Tensile Strength.
Comparison of Strip and Grab Methods of Testing Textile Fabric for —. Appendices II and III, Report of Committee D-13, 366, 370.
Determination of — of Duck by the Strip Method. Appendix IV, Report of Committee D-13, 379.
Effect of Unbroken Warp Threads on — of Textile Fabrics. Appendix V, Report of Committee D-13, 383.
Tentative Revisions of Standards.
See **Table of Contents**, 6.
Tentative Standards.
See **Table of Contents**, 5, 6.
Testing (see also **Tests**).
Comparison of Strip and Grab Methods of — Textile Fabric for Tensile Strength. Appendices II and III, Report of Committee D-13, 366, 370.
Methods of —. Report of Committee E-1, 390.
— of Paint Vehicles. Report of Sub-Committee III of Committee D-1, 273.
Tests (see also **Testing**).
Method of Studying the Action of Specimens of Textile Fabric during —. Appendix I, Report of Committee D-13, 363.
Tentative Schedule of — for Preparation of Iron and Steel Surfaces for Painting. Appendix, Report of Sub-Committee XIV of Committee D-1, 296.
Tentative —. See Table of Contents, 6.
Textile Fabric (see also **Fabrics**).
Comparison of Strip and Grab Methods of Testing — for Tensile Strength. Appendices II and III, Report of Committee D-13, 366, 370.
Determination of Tensile Strength of Duck by the Strip Method. Appendix IV, Report of Committee D-13, 379.
Effect of Unbroken Warp Threads on Tensile Strength of —. Appendix V, Report of Committee D-13, 383.
Method of Studying the Action of Specimens of — during Tests. Appendix I, Report of Committee D-13, 363.
Textile Materials.
—. Report of Committee D-13, 360. Discussion, 386.

Thinners.
Paint — Other than Turpentine. Report of Sub-Committee XI of Committee D-1, 290.
Tentative Tests for Paint — Other than Turpentine, 518.
Tie Plates.
Tentative Specifications for Steel —, 414.
Tile.
Drain —. Report of Committee C-6, 259. Discussion, 262.
Timber.
—. Report of Committee D-7, 327.
Tentative Specifications for Selected Sructural Douglas Fir Bridge and Trestle Timbers, 479.
Tentative Specifications for Southern Yellow-Pine — to be Creosoted, 483.
Tin.
A Review of the — Situation. Appendix II, Report of Committee B-2, 187.
Tentative Specifications for the Alloy: Copper, 88 per cent; —, 10 per cent; Zinc, 2 per cent, 434.
Tire Fabrics.
Tentative Tests for Automobile —, 531.
Tool Steel.
Report on Cooperative Analysis of a Low-Sulfur —. Appendix II, Report of Committee A-1, 123.
Track Spikes.
Tentative Specifications for Steel —, 410.
Trestle Timbers.
Tentative Specifications for Selected Structural Douglas Fir Bridge and —, 479.
Tubes.
Tentative Specifications for Seamless Brass Boiler —, 448.
Tentative Specifications for Seamless Copper Boiler —, 444.
Tung Oil.
—. Report of Sub-Committee III of Committee D-1, 273.

W

Warp Threads.
Effect of Unbroken — on Tensile Strength of Textile Fabrics. Appendix V, Report of Committee D-13, 383.
Waterproofing.
—. Report of Committee D-8, 347.
Wire.
Copper —. Report of Committee B-1, 177.
Tentative Specifications for Insulated — and Cable: 30 per cent Hevea Rubber, 492.
Wrought Iron.
—. Report of Committee A-2, 147.

Y

Yellow Pine.
See **Pine.**

Z

Zinc (see also **Spelter**).
Tentative Specifications for the Alloy: Copper, 88 per cent; Tin, 10 per cent; —, 2 per cent, 434.

AUTHOR INDEX.

A

Aiken, W. A.
Report of Committee D-8 on Waterproofing, 347.
Ashton, Ernest.
Discussion 206, 210, 212.

B

Barrier, E. A.
Report of Committee D-11 on Rubber Products, 357.
Bates, P. H.
Discussion, 213.
Boughton, E. W.
Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Perilla Oil, 278.
Report of Sub-Committee V of Committee D-1. Appendix: Comments of Analysts, 287.
Bragg, C. T.
Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Perilla Oil, 281.
Burrows, C. W.
Report of Committee A-6 on Magnetic Properties of Iron and Steel, 171.

C

Cain, J. R.
Report of Committee A-1. Appendix IV: Report on Investigation of Ladle-Test Steel Ingots, 129.
Campbell, William.
Report of Committee B-2 on Non-Ferrous Metals and Alloys, 180.
Capp, J. A.
Report of Committee B-1 on Copper Wire, 177.
Discussion, 388.
Carpenter, A. W.
Report of Sub-Committee XIV, of Committee D-1, on Preparation of Iron and Steel Surfaces for Painting, 293.
Chapman, Cloyd M.
Report of Sub-Committee XI, of Committee D-1, on Paint Thinners other than Turpentine, 290.
Discussion, 211, 212.
Corse, W. M.
Discussion, 198.

D

Davies, G. C.
Report of Committee A-3 on Cast Iron and Finished Castings, 150.
Douty, D. E.
Report of Committee D-13 on Textile Materials, 360.
Dunn, B. W.
Report of Committee D-10 on Shipping Containers, 349.

E

Elliot, G. K.
Discussion, 193, 196.
Enright, Bernard.
Discussion, 214.

F

Ferguson, Lewis R.
Report of Committee C-9 on Concrete and Concrete Aggregates, 264.
Fieldner, A. C.
Report of Committee D-6 on Coke, 325.
Fort, E. J.
Report of Committee C-4 on Clay and Cement Sewer Pipe, 220.

G

Gardner, H. A.
Report of Sub-Committee III, of Committee D-1, on Testing of Paint Vehicles, 273. Appendix: Reports of Analysts on Perilla Oil, 275.
Greenman, R. S.
Discussion, 211, 212.

H

Hartshorne, W. D.
Report of Committee D-13 on Textile Materials, 360.
Report of Committee D-13, Appendix III: Note, 376.
Discussion, 386.
Harvey, Dean.
Discussion, 387.
Hering, Rudolph.
Report of Committee C-4 on Clay and Cement Sewer Pipe, 220.
Herschel, Winslow H.
Discussion, 316.
Howes, B. A.
Discussion, 203.
Hubbard, Prévost.
Report of Committee D-4 on Road Materials, 300.
Humphrey, Richard L.
Report of Committee C-1 on Cement, 200.
Discussion, 206, 210.

Hunnings, S. V.
Report of Committee A-2 on Wrought Iron, 147.
Discussion, 195, 197.

J

Jones, J. L.
Discussion, 197.

K

Kinney, W. M.
Discussion, 213.
Kitts, J. A.
Discussion, 206.

L

Law, Leroy M.
Report of Committee D-4. Appendix: Report of Sub-Committee on Penetration of Bituminous Materials, 306.
Lanza, Gaetano.
Report of Committee E-1 on Methods of Testing, 390.
Langmuir, A. C.
Report of Sub-Committee XIII, of Committee D-1, on Shellac, 292.
Lewis, W. S.
Report of Committee D-13. Appendix II: Comparison of Strip and Grab Methods of Testing Textile Fabric for Tensile Strength, 366.
Lind, John.
Report of Committee D-13. Appendix V: Effect of Unbroken Warp Threads on Tensile Strength of Textile Fabrics, 383.
Lindsay, R. W.
Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Perilla Oil, 282.

M

Marburg, Edgar.
Annual Report of the Executive Committee, 45.
Report of Committee E-5 on Standing Committees, 393.
Report of Committee E-6 on Papers and Publications, 404.
Discussion, 212, 213.
Marston, A.
Report of Committee C-6 on Drain Tile, 259.
Discussion, 262.
Merriman, Mansfield.
Annual Address by the President—The Work of Committees, 34.
Annual Report of the Executive Committee, 45.
Discussion, 197.

Mills, C. B.
Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Perilla Oil, 280.
Moldenke, Richard.
Report of Committee A-3 on Cast Iron and Finished Castings, 150.
Report of Committee D-6 on Coke, 325.

N

Neale, L. I.
Report of Committee C-11 on Gypsum and Gypsum Products, 268.
Nemzek, L. P.
Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Perilla Oil, 280.
Newlin, J. A.
Report of Committee D-7. Appendix I: The Need of a Quality Classification for Douglas Fir, 340.

P

Page, L. W.
Report of Committee D-4 on Road Materials, 300.
Parr, S. W.
Report of Committee D-3 on Methods of Laboratory Sampling and Analysis of Coal, 299.
Pickard, Glenn H.
Report of Sub-Committee V, of Committee D-1, on Linseed Oil, 283.
Pope, G. S.
Report of Committee D-5 on Coal, 319.
Provost, A. J., Jr.
Report of Committee C-4 on Clay and Cement Sewer Pipe, 220.

R

Rawdon, H. S.
Report of Committee A-1. Appendix IV: Report on Investigation of Ladle-Test Steel Ingots, 129.
Robinson, F. C.
Discussion, 317.

S

Sauveur, Albert.
Report of Committee A-4 on Heat Treatment of Iron and Steel, 152.
Schmitt, F. E.
Discussion, 262.
Scott, H. L.
Report of Committee D-13. Appendix I: Method of Studying the Action of Specimens of Textile Fabric During Tests, 363.
Seaton, M. Y.
Report of Sub-Committee V of Committee D-1. Appendix: Comments of Analysts, 289.

Smith, H. E.
Discussion, 196.
Somerville, A. A.
Discussion, 387.
Stewart, J. T.
Report of Committee C-6 on Drain Tile, 259.
Swain, George F.
Report of Committee C-1 on Cement, 200.

T

Thompson, G. W.
Report of Committee D-1 on Preservative Coatings for Structural Materials, 270.
Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Perilla Oil, 280.
Thompson, Sanford E.
Report of Committee C-9 on Concrete and Concrete Aggregates, 264.
Discussion, 213.

V

Von Schrenk, Hermann.
Report of Committee D-7 on Timber, 327.
Voorhees, S. S.
Report of Committee A-5 on Corrosion of Iron and Steel, 153.

W

Walen, E. D.
Report of Committee D-13. Appendix III: Comparison of Strip and Grab Methods of Testing Textile Fabric for Tensile Strength, 370.
Report of Committee D-13. Appendix IV: Determination of Tensile Strength of Duck by the Strip Method, 379.
Walker, P. H.
Report of Committee D-1 on Preservative Coatings for Structural Materials, 270.
Waring, F. M.
Report of Committee D-11 on Rubber Products, 357.
Warwick, C. L.
Report of Committee A-1 on Steel, 86.
Wig, R. J.
Report of Committee C-11 on Gypsum and Gypsum Products, 268.
Wilson, P. H.
Discussion, 213.

Y

Young, C. D.
Report of Committee A-1 on Steel, 86.
Discussion, 386, 387.
Young, J. B.
Report of Committee A-2 on Wrought Iron, 147.